home automation

lighting

electric

furniture

ORNO®
LIVING INNOVATIONS

DATA SHEET

Surface mounted LED downlight LETI, 24W, 4000K

symbol: **OR-OD-6075WLX4**

Manufacturer:
ORNO-LOGISTIC Sp. z o.o.
ul. Katowicka 134, 43-190 Mikołów
tel: 32 43 43 110
www.orno.pl

ISBN 5902560325416

Product **versions:**

	**Surface mounted LED downlight LETI, 9W, 3000K** OR-OD-6060WLX3	: 9W Luminous flux: 480lm Colour temperature: 3000K	ISBN 5902560325379 5 902560 325379 >
	Surface mounted LED downlight LETI, 9W, 4000K OR-OD-6060WLX4	: 9W Luminous flux: 480lm Colour temperature: 4000K	ISBN 5902560320565 5 902560 320565 >
	**Surface mounted LED downlight LETI, 12W, 3000K** OR-OD-6061WLX3	: 12W Luminous flux: 780lm Colour temperature: 3000K	ISBN 5902560325386 5 902560 325386 >
	**Surface mounted LED downlight LETI, 12W, 4000K** OR-OD-6061WLX4	: 12W Luminous flux: 780lm Colour temperature: 4000K	ISBN 5902560320572 5 902560 320572 >
	**Surface mounted LED downlight LETI, 18W, 3000K** OR-OD-6062WLX3	: 18W Luminous flux: 1300lm Colour temperature: 3000K	ISBN 5902560325393 5 902560 325393 >
	**Surface mounted LED downlight LETI, 18W, 4000K** OR-OD-6062WLX4	: 18W Luminous flux: 1300lm Colour temperature: 4000K	ISBN 5902560320589 5 902560 320589 >
	**Surface mounted LED downlight LETI, 24W, 3000K** OR-OD-6075WLX3	: 24W Luminous flux: 1900lm Colour temperature: 3000K	ISBN 5902560325409 5 902560 325409 >
	Surface mounted LED downlight LETI, 24W, 4000K OR-OD-6075WLX4	: 24W Luminous flux: 1900lm Colour temperature: 4000K	ISBN 5902560325416 5 902560 325416 >

The main **features:**

Use of the LED technology guarantees high energy efficiency and long life Can be easily surface mounted Built-in LED driver.

LUMINOUS FLUX:
1900lm

COLOUR TEMPERATURE:
4000K

INSTALLATION:
surface mounting

Technical **specifications:**

General Information

Power supply:	230V~, 50Hz
Light source:	LED SMD
Colour rendering index (ra):	>80
Luminous flux:	1900lm
Colour temperature:	4000K
Material of the lampshade:	acrylic glass (PMMA)
Protection rating:	IP20
Dimmer:	✕ no
Installation:	surface mounting
Colour:	white
Dimensions (width x height x depth [mm]):	227 / 227 / 34,5
Other features:	built-in power supply, aluminum insert