



home
automation



lighting



electric



furniture

ORNO[®]

LIVING INNOVATIONS



DATA SHEET

Flush mounted LED downlight AKMAN, 18W, 3000K

symbol: **OR-OD-6056WLX3**

Manufacturer:

ORNO-LOGISTIC Sp. z o.o.
ul. Katowicka 134, 43-190 Mikołów
tel: 32 43 43 110
www.orno.pl

ISBN 5902560325201



5 902560 325201 >

Product **versions:**

| | | | |
|---|--|---|--|
|  | Flush mounted LED downlight AKMAN, 9W, 3000K OR-OD-6054WLX3 | : 9W Luminous flux: 480lm Colour temperature: 3000K | ISBN 5902560325188  5 902560 325188 > |
|  | Flush mounted LED downlight AKMAN, 9W, 4000K OR-OD-6054WLX4 | : 9W Luminous flux: 480lm Colour temperature: 4000K | ISBN 5902560320503  5 902560 320503 > |
|  | Flush mounted LED downlight AKMAN, 12W, 3000K OR-OD-6055WLX3 | : 12W Luminous flux: 780lm Colour temperature: 3000K | ISBN 5902560325195  5 902560 325195 > |
|  | Flush mounted LED downlight AKMAN, 12W, 4000K OR-OD-6055WLX4 | : 12W Luminous flux: 780lm Colour temperature: 4000K | ISBN 5902560320510  5 902560 320510 > |
|  | Flush mounted LED downlight AKMAN, 18W, 3000K OR-OD-6056WLX3 | : 18W Luminous flux: 1300lm Colour temperature: 3000K | ISBN 5902560325201  5 902560 325201 > |
|  | Flush mounted LED downlight AKMAN, 18W, 4000K OR-OD-6056WLX4 | : 18W Luminous flux: 1300lm Colour temperature: 4000K | ISBN 5902560320527  5 902560 320527 > |

The main **features:**

Use of the LED technology guarantees high energy efficiency and long life Can be easily mounted in a suspended ceiling Built-in LED driver.



LUMINOUS FLUX:
1300lm

K

COLOUR
TEMPERATURE:
3000K



INSTALLATION:
flush mounting

Technical **specifications:**

General Information

| | |
|---|--|
| Power supply: | 230V~, 50Hz |
| Light source: | LED SMD |
| Colour rendering index (ra): | >80 |
| Luminous flux: | 1300lm |
| Colour temperature: | 3000K |
| Material of the lampshade: | acrylic glass (PMMA) |
| Protection rating: | IP20 |
| Dimmer: | ✘ no |
| Installation: | flush mounting |
| Colour: | white |
| Dimensions (width x height x depth [mm]): | 220 / 220 / 32 |
| Other features: | built-in power supply, aluminum insert |